

Sizes

Small (Medium, Large, 1X, 2X, 3X). Instructions are for smallest size, with changes for other sizes noted in parentheses as necessary.

Finished Measurements

Bust: 35 (39, 42, 45 ½, 49, 52 ½)"

Length: 24 (24 ½, 25, 25, 25 ½, 25 ½)"

Materials

Cascade Yarn's Greenland, 11 (12, 13, 14, 15, 16) balls of #3519

One pair each of sizes 7 and 9 knitting needles or size needed to obtain gauge

One cable needle (cn)

Gauge

In Traveling Rib Patt with larger needles, 23 sts and 26 rows = 4".

To save time, take time to check gauge.

Border Patt (mult 10 + 1 sts)

Row 1 (RS): *K1, yarn over, K3, slip next 2 sts at once knitwise, K1, p2sso, K3, yarn over. Repeat from * across, ending row with K1.

Row 2: Knit across.

Repeat Rows 1 and 2 for patt.

Traveling Rib Patt (mult 10 + 1 sts)

Row 1 (RS): *P1, K2, P5, K2. Repeat from * across, ending row with P1.

Row 2 and all WS rows: Knit the knit sts and purl the purl sts as they face you.

Row 3: *P1, slip next 2 sts onto cn and hold in front, P1, K2 from cn, P3, slip next st onto cn and hold in back, K2, P1 from cn. Repeat from * across, ending row with P1.

Row 5: *P2, slip next 2 sts onto cn and hold in front, P1, K2 from cn, P1, slip next st onto cn and hold in back, K2, P1 from cn, P1. Repeat from * across, ending row with P1.

Row 6: As Row 2.

Repeat Rows 1-6 for patt.

Back

With smaller needles, CO 101 (111, 121, 131, 141, 151) sts.

Beg Border Patt, and work even until piece measures approx 1" from beg, ending after WS row.

Change to larger needles, beg Traveling Rib Patt, and work even until piece measures approx 14 ½" from beg, ending after WS row.

Shape Armholes

BO 10 (10, 15, 15, 20, 20) sts at beg of next two rows—81 (91, 91, 101, 101, 111) sts rem.

Cont even until piece measures approx 22 ½ (23, 23 ½, 23 ½, 24, 24)" from beg, ending after WS row.

Shape Neck

Work across first 18 (23, 23, 28, 28, 33) sts, join second ball of yarn and BO middle 45 sts, work across to end row.

Work both sides at once with separate balls of yarn and dec 1 st each neck edge once—17 (22, 22, 27, 27, 32) sts rem each side.

Cont even until piece measures approx 23 (23 ½, 24, 24, 24 ½, 24 ½)" from beg, ending after WS row.

Shape Shoulders

Work both sides at once with separate balls of yarn and dec 1 st each neck edge once—17 (22, 22, 27, 27, 32) sts rem each side.

Cont even until piece measures approx 23 (23 ½, 24, 24, 24 ½, 24 ½)" from beg, ending after WS row.

Shape Shoulders

Work both sides at once with separate balls of yarn and BO 6 (7, 7, 9, 9, 11) sts at beg of next four rows, then BO 5 (8, 8, 9, 9, 10) sts at beg of next two rows.

Front

Same as back until piece measures approx 19 (19 ½, 20, 20, 20 ½, 20 ½)" from beg, ending after WS row.

Shape Neck

Work across first 31 (36, 36, 41, 41, 46) sts, join second ball of yarn and BO middle 19 sts, work across to end row.

Work both sides at once with separate balls of yarn, and BO 5 sts each neck edge twice, then dec 1 st each neck edge every row four times—17 (22, 22, 27, 27, 32) sts rem each side.

Cont even until piece measures same as back to shoulders.

Shape Shoulders

Same as for back.

Sleeves

With smaller needles, CO 51 sts.

Beg Border Patt, and work even until piece measures approx 1" from beg, ending after WS row.

Change to larger needles, beg Traveling Rib Patt, and inc 1 st each side every other row 0 (0, 1, 4, 13, 15) times, every fourth row 11 (19, 28, 25, 19, 17) times, then every sixth row 13 (7, 0, 0, 0, 0) times, working new sts into patt as they accumulate—99 (103, 109, 109, 115, 115) sts.

Cont even until pieces measures approx 21 ½ (21, 21, 20 ¼, 20 ¼, 19 ½)" from beg, ending after WS row.

BO.

Finishing

Sew right shoulder seam.

Neckband

With RS facing and smaller needles, pick up and knit 149 sts along neckline.

Next Row: Knit across.

Repeat last row until neckband measures approx ½" from beg.

Next Row: Knit across, dec 22 sts evenly-spaced across—127 sts rem.

Work even until neckband measures approx 1" from beg.

BO.

Sew left shoulder seam, including side of neckband.

Set in sleeves.

Sew sleeve and side seams.

